



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/815,746	03/23/2001	Sining Mao	30874.101USU1	6228
23552	7590	11/07/2003	EXAMINER	
MERCHANT & GOULD PC P.O. BOX 2903 MINNEAPOLIS, MN 55402-0903			CAO, ALLEN T	
			ART UNIT	PAPER NUMBER
			2652	

DATE MAILED: 11/07/2003

8

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/815,746

Applicant(s)

MAO ET AL.

Examiner

Allen T Cao

Art Unit

2652

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 11 and 15-20 is/are rejected.
- 7) ☒ Claim(s) 5-10 and 12-14 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Art Unit: 2652

1. Claim 16 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

The phrase "a magnetic sensor of claim 1" in claim 16, line 3 is vague and indefinite because it lacks antecedent basis.

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-3 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa et al (US. 6,538,858 B1) in view of Saito et al (US. 5,869,963).

Hasegawa et al disclose a magnetic sensor having a giant magnetoresistive sensing layer including a magnetic free layer 5 (in the Prior art of Hasegawa et al discloses that magnetic free layer is made of a ferromagnetic) ; and a hard bias layer 6 positioned and configured to maintain the free layer in a single domain state (column 21, lines 43-48) as set forth in claims 1 and 16. Regarding claim 16, Hasegawa et al it is inherently shown that the sensor of the Hasegawa et al is built for a magnetic disk drive as well known in the art and which a disk drive having a media(s) and a driving mechanism (see Gill).

Hasegawa et al do not disclose that the hard bias layer has a coercivity of at least 2,000 Oe (claim 1) or 2,300 Oe (claim 2).

Art Unit: 2652

Saito et al disclose a magnetoresistive sensor having a hard bias layer 5 has a coercivity of 1,300 Oe.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the hard bias layer of the sensor of Hasegawa et al with a coercivity of at least 2,000 Oe (claim 1) or 2,300 Oe (claim 2) as taught by Saito et al. Eventhough, Saito et al only disclose 1,300 Oe, but Saito et al has shown the way of increasing the coercivity force of the hard bias layer.

The rationale is as follows: One of ordinary skill in the art would have been motivated to manufacture the hard bias layer of the sensor of Hasegawa et al with a coercivity of at least 2,000 Oe as taught by Saito et al to decrease the occurrence of Barkhausen noise in order to improve read/write characteristics of the sensor.

Regarding claim 3, Hasegawa et al disclose that the hard bias layer 317 generally has a thickness of of about 20 to 50 nm which is not more than 60nm as claimed (column 46, lines 56-57).

4. Claims 4 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa et al and Saito et al as applied to claim 1 above, and further in view of Gill (US. 6,052,263).

Hasegawa et al and Saito et al do not disclose that the hard bias layer having a seed layer and a permanent magnetic layer as set forth in claims 4 and 11.

Gill discloses a magnetic sensor having a seed layer 440 formed of Cr; a permanent magnet layer 430 formed of alloy of CoPtCr which is deposited on the seed layer 440 (both combined layers acting as a hard bias layer).

Art Unit: 2652

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the hard bias layer of the sensor of Hasegawa et al as modified by Saito et al with seed layer and magnetic magnet layer as set forth to improve single state domain characteristics of the free layer which reduce noise and improve read/write characteristics of the sensor.

Gill only discloses that the seed layer formed of Cr and the magnetic magnet layer formed of an alloy of CoPtCr. However, Gill does not disclose that the seed layer is formed of an alloy between two elements chosen from the group consisting essentially of W, Mo, Cr, V, Nb, Ta, Ti, Hf and Zr and the permanent magnetic layer formed of an alloy of CoPt, all as set forth in claims 4 and 11.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to manufacture the seed and permanent magnetic layer of Hasegawa as modified by Saito et al and Gill with such material as set forth, supra through routine lab experimentation and optimization because it is obvious to one of ordinary skill in the art using the lab experimentation to combine known material in order to improve the quality of the seed and permanent magnet layer to reduce noise and improve read/write characteristics of the sensor.

5. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa et al.

Hasegawa et al disclose a magnetic sensor having a giant magnetoresistive sensing layer including a magnetic free layer 5 (in the Prior art of Hasegawa et al discloses that magnetic free layer is made of a ferromagnetic) ; and a hard bias layer 6

Art Unit: 2652

positioned and configured to maintain the free layer in a single domain state (column 21, lines 43-48). Hasegawa et al also disclose that the thickness of the hard bias layer is preferably larger than the thickness of the free layer. However, Hasegawa et al do not disclose that the hard bias layer having a "magnetic remnance times thickness" at least two times the value of the "saturation magnetization times thickness" of the free layer.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the sensor of Hasegawa et al such that that the hard bias layer having a "magnetic remnance times thickness" at least two times the value of the "saturation magnetization times thickness" of the free layer to provide a stronger bias magnetic field can be easily applied to the free layer, thereby easily putting the free magnetic layer into the single domain state and decreasing the occurrence of Barkhausen noise.

6. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Gill.

Gill discloses a giant magnetoresistive sensing layer having a top surface, a bottom surface and at least a side surface intersecting the top and bottom surfaces at an angle substantially different from 180 degrees (figure 4). Gill also discloses a permanent magnetic layer 430 deposited on the seed layer 440.

Gill only discloses that the seed layer 440 formed of Cr and the magnetic magnet layer formed of an alloy of CoPtCr. However, Gill does not disclose that the seed layer is formed of an alloy between two elements chosen from the group consisting essentially of W, Mo, Cr, V, Nb, Ta, Ti, Hf and Zr.

Art Unit: 2652

It would have been obvious to one of ordinary skill in the art at the time the invention was made to manufacture the seed and permanent magnetic layer of Hasegawa as modified by Saito et al and Gill with such material as set forth, supra through routine lab experimentation and optimization because it is obvious to one of ordinary skill in the art using the lab experimentation to combine known material in order to improve the quality of the seed and permanent magnet layer to reduce noise and improve read/write characteristics of the sensor.

7. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

8. Claims 18 and 19 are rejected under 35 U.S.C. 102(e) as being anticipated by Hasegawa et al.

Hasegawa et al disclose a magnetic sensor having a giant magnetoresistive sensing layer including a magnetic free layer 5 (in the Prior art of Hasegawa et al discloses that magnetic free layer is made of a ferromagnetic) ; and a hard bias layer 6 positioned and configured to maintain the free layer in a single domain state (column 21, lines 43-48) as set forth in claims 18 and 19.

9. Claim 20 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hasegawa et al (US. 6,538,858 B1) in view of Saito et al (US. 5,869,963).

Art Unit: 2652

Hasegawa et al do not disclose that the hard bias layer has a coercivity of at least 2,000 Oe.

Saito et al disclose a magnetoresistive sensor having a hard bias layer 5 has a coercivity of 1,300 Oe.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to make the hard bias layer of the sensor of Hasegawa et al with a coercivity of at least 2,000 Oe as taught by Saito et al. Eventhough, Saito et al only disclose 1,300 Oe, but Saito et al has shown the way of increasing the coercivity force of the hard bias layer.

The rationale is as follows: One of ordinary skill in the art would have been motivated to manufacture the hard bias layer of the sensor of Hasegawa et al with a coercivity of at least 2,000 Oe as taught by Saito et al to decrease the occurrence of Barkhausen noise in order to improve read/write characteristics of the sensor.

10. Claims 5-10 and 12-14 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

11. The following is a statement of reasons for the indication of allowable subject matter: The prior art of record neither discloses nor suggests the combined limitations of claims 1 and 4 and further limitations of "the seed layer comprises TiW with 1 to 15 atomic percent W, and wherein the permanent magnetic layer comprises of CoPt as recited in claims 5 and 6. The prior art of record neither discloses nor suggests the combined limitations of claims 1 and 11 and further limitations of "the seed layer further

Art Unit: 2652

comprises a metallic layer bonded to the alloy layer comprising the alloy, wherein the permanent magnetic is in contact with the layer comprising the alloy" as claimed in claim 12.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allen T Cao whose telephone number is (703) 305-3796. The examiner can normally be reached on Tuesday - Friday (7:30 - 6:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoa T Nguyen can be reached on (703) 305-9687. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4750.



Allen Cao
Primary Examiner

AC
October 31, 2003